

SAFETY DATA SHEET

According To Regulation (EC) No 1907/2006 (REACH),
(EC) No. 1272/2008 (CLP)

TRUWAX BASEPLATE WAX (REGULAR)

Version: 2.0
Form No: 281003

Prep Date: 27.03.2017
Rev. Date: 09.07.2019

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

Name of Product	TRUWAX BASEPLATE WAX (REGULAR)
SDS ¹ Form No	281003
Product Description	Mixture

1.2 Relevant Identified Uses Of The Product And Uses Advised Against

Relevant Identified Uses	Used in construction of artificial dentures
Uses Advised Against	For professional use only

1.3 Details Of The Supplier The Safety Data Sheet

Manufacturer/Supplier	PERA ALÇI DÖKÜM SANAYİ TİCARET - SAMİ BOYACI
Address	Muratpaşa Mah. Siteler Cad. No: 14/B Bayrampaşa/ İstanbul/ TURKEY
Telephone	+90 (212) 674 81 47
E-mail Address of Competent Person Responsible for the SDS	sarahanahid@gmail.com

1.4 Emergency Telephone Number

Company Emergency	+90 (212) 674 81 47
-------------------	---------------------

2. HAZARDS IDENTIFICATION

2.1 Classification Of The Product

2.1.1 Classification According to Regulation (EC) No 1272/2008

This product is not classified as hazardous according to regulation (EC) 1272/2008 [CLP/GHS].

2.2 Label elements

2.2.1. Labeling According to Regulation (EC) No 1272/2008 [CLP²/GHS³]

Product Identifier	
Hazard Component for Labeling	
<ul style="list-style-type: none"> Not Applicable 	
Hazard Pictograms	
<ul style="list-style-type: none"> Not Applicable 	
Signal Word	
<ul style="list-style-type: none"> Not Applicable 	



SAFETY DATA SHEET

According To Regulation (EC) No 1907/2006 (REACH),
(EC) No. 1272/2008 (CLP)

TRUWAX BASEPLATE WAX (REGULAR)

Version: 2.0
Form No: 281003

Prep Date: 27.03.2017
Rev. Date: 09.07.2019

Hazard Statements	-
Precautionary Statements	
General	-
Prevention	-
Response	-
Storage	-
Disposal	-
Supplemental Hazard Information (EU) Statements	No data available.
2.2.2. Special Rules For Supplemental Label Elements For Certain Mixtures	· None.
2.2.3. Additional Labeling	· Not Applicable
2.3 Other Hazards	Product is not classified as PBT/ vPvB according to Regulation (EC) No. 1907/2006, Annex XIII: None

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Description Of The Substances

CAS ⁴ No	EC ⁵ No	Chemical Name	Conc. %	Classification according to Regulation (EC) No 1278/2008 (CLP)
8002-74-2	232-315-6	Paraffin wax	40.0-70.0	It is not classified as hazardous
-	-	Wax and Resin	30.0-60.0	It is not classified as hazardous

3.2 Additional information

Specific Concentration limits: None

M-Factor: None

Notes: None



SAFETY DATA SHEET

According To Regulation (EC) No 1907/2006 (REACH),
(EC) No. 1272/2008 (CLP)

TRUWAX BASEPLATE WAX (REGULAR)

Version: 2.0
Form No: 281003

Prep Date: 27.03.2017
Rev. Date: 09.07.2019

4. FIRST AID MEASURES

4.1 Description of first aid measures

4.1.1 General notes

- When in doubt or if symptoms are observed, get medical advice.

4.1.2 Following inhalation

- In solid form, no adverse effects are expected.
- If vapors or fumes from molten material are inhaled and irritation or symptoms occur, remove victim to fresh air.
- If breathing is difficult have qualified personnel administer oxygen.
- If breathing has stopped, administer artificial respiration.
- Get medical attention if irritation or symptoms occur.



4.1.3 Following skin contact

- Wash skin with soap and water.
- If product is molten, cool skin with large amounts of water.
- Do not remove material bonded to the skin.
- Do not apply salves or ointment.
- Get immediate medical attention.
- Launder clothing before re-use.



4.1.4 Following eye contact

- Flush victim's eyes with water, while holding the eyelids apart.
- Get medical attention if irritation persists.
- If product is hot, flush eyes with large quantities of water, while holding the eyes lids apart.
- Get immediate medical attention.



4.1.5 Following ingestion

- If small quantities are swallowed, rinse out mouth with water.
- Do not induce vomiting.
- Never give anything by mouth to an unconscious or drowsy person.
- If large amounts are swallowed or if irritation or discomfort occurs, get medical attention.



4.1.6 Self-protection of the first aider

- First aid assistant: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

· Potential acute health effects

Eye contact: No data available

Inhalation: Vapors or fumes from molten material may cause eye and respiratory tract irritation.

Skin contact: Contact with molten product may cause thermal burns

Ingestion: No data available

4.3. Indication of any immediate medical attention and special treatment needed

- Immediate medical attention is required when in contact with molten material.



SAFETY DATA SHEET

According To Regulation (EC) No 1907/2006 (REACH),
(EC) No. 1272/2008 (CLP)

TRUWAX BASEPLATE WAX (REGULAR)

Version: 2.0
Form No: 281003

Prep Date: 27.03.2017
Rev. Date: 09.07.2019

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media

- Use water fog, carbon dioxide, foam, or dry chemical.

Unsuitable extinguishing media

- No data available

5.2 Special hazards arising from the product.

- Contact with molten product may cause thermal burns.
- Decomposition may release carbon monoxide, carbon dioxide, and smoke.
- Do not breathe in smoke.
- Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

5.3 Advice for fire-fighters

- Wear full chemical protective clothing. In case of fire: Self-Contained Breathing Apparatus (SCBA) with chemical resistant gloves.
- Firefighters should wear full emergency equipment and approved positive pressure self-contained breathing apparatus.
- Do not enter fire area without proper protection

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

- Avoid contact with eyes.
- No action shall be taken involving any personal risk or without suitable training.
- Keep unnecessary and unprotected personnel from entering.
- Do not touch or walk through spilled material.
- Evacuate the accident area.
- Refer to protective measures listed in section 7 and 8.
- Wear appropriate personal protective equipment as described in section 8.

6.1.2. For emergency responders

- If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.
- See also the information in "For non-emergency personnel".

6.2 Environmental precautions

- Do not empty into drains and sewers.
- Keep from entering to water and ground water systems.
- Spillages or uncontrolled discharges into watercourses must be alerted to the Environmental Agency or other appropriate regulatory body.



SAFETY DATA SHEET

According To Regulation (EC) No 1907/2006 (REACH),
(EC) No. 1272/2008 (CLP)

TRUWAX BASEPLATE WAX (REGULAR)

Version: 2.0
Form No: 281003

Prep Date: 27.03.2017
Rev. Date: 09.07.2019

6.3 Methods and material for containment and cleaning up

6.3.1 For containment

- Control personal contact by using protective equipment as required
- Take up contaminated material and pass on for further processing.
- Contain for disposal according to local / national regulations.

6.3.2 For cleaning up

- At ambient temperatures, pick up material and place into a container for disposal.
- If molten, allow material to solidify and cool.
- Pick up or scrape up and place into a container for disposal.
- Place spilled material in a designated, labeled waste container.
- Dispose of via a licensed waste disposal contractor.
- Control personal contact by using protective equipment.

6.3.3 Other information

- Dispose of waste material according to local, state and federal regulations.

6.4 Reference to other sections

- See Section 1 for emergency contact information.
- See Section 8 for information on appropriate personal protective equipment.
- See Section 13 for additional waste treatment information.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

7.1.1 Protective measures

Personal preventions

- Avoid contact with skin and eyes.
- Wear personal protection equipment. Refer to chapter 8.
- Do not eat, drink, smoke or sneeze at the workplace.
- Dangerous areas must be limited and marked with appropriate warning and safety signs.
- Fill only into labeled container.
- Always wash hands with soap and water after handling.
- Working areas must be arranged in such a manner that they can be cleaned at all times.
- Take off all contaminated clothing immediately and never use before washing.
- Ensure adequate ventilation and, if necessary, exhaust ventilation when handling or transferring the product.
- Ensure that the occupational exposure limit value/s (OEL) and/or other limit values are complied with.

7.1.2 Measures to Prevent Fire

- See section 5.

7.1.3 Measures to Protect Environment

- Dispose of waste material according to local, state and federal regulations.



SAFETY DATA SHEET

According To Regulation (EC) No 1907/2006 (REACH),
(EC) No. 1272/2008 (CLP)

TRUWAX BASEPLATE WAX (REGULAR)

Version: 2.0
Form No: 281003

Prep Date: 27.03.2017
Rev. Date: 09.07.2019

7.1.4 Advice on general occupational hygiene

- Use good occupational work practice.
- Comply with the health and safety at work laws.
- Remove contaminated clothing and protective equipment before entering eating areas.

7.2 Conditions for safe storage, including any incompatibilities

- Store in accordance with local regulations.
- Store away from ignition sources, food and drink.
- Keep container tightly closed.
- Store in original containers.
- Store in a cool, dry, well-ventilated area.
- Avoid contact with incompatible materials
- Avoid physical damage to containers.
- Please give the priority usage for damaged packaged.

STORAGE INCOMPATIBILITY

None

Advice on common storage

- See also instructions on the label.
- Store in a cool, dry, well-ventilated area.
- Keep away from food, drink and animal feeding stuffs.
- Store away from incompatible materials and foodstuff containers.
- Protect from physical damage.
- For professional use only.

7.3 Specific precautions on storage

- No data available

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Preventive industrial and medical examinations must be carried out according to the application area. Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard.

Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.

8.1.1 Occupational exposure limits

Paraffin Wax (As Paraffin Wax Fume)	2 mg/m ³ TWA ACGIH TLV
	Belgium: 2 mg/m ³ TWA
	2 mg/m ³ TWA, 6 mg/m ³ STEL UK-WEL
Wax and Resin (As Paraffin Wax Fume)	2 mg/m ³ TWA ACGIH TLV
	Belgium: 2 mg/m ³ TWA
	2 mg/m ³ TWA, 6 mg/m ³ STEL UK-WEL



SAFETY DATA SHEET

According To Regulation (EC) No 1907/2006 (REACH),
(EC) No. 1272/2008 (CLP)

TRUWAX BASEPLATE WAX (REGULAR)

Version: 2.0
Form No: 281003

Prep Date: 27.03.2017
Rev. Date: 09.07.2019

8.2 Exposure controls

Adequate ventilation should be used during processing.

Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

8.2.1 Appropriate engineering controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

Ensure that eyewash stations and safety showers are proximal to the work-station location.

Keep away from food, drink and animal feeding stuffs.

Use personal protective equipment according to EN⁶ standards.

See Section 7.

8.2.2 Individual protection measures, such as personal protective equipment

8.2.2.1 Eye / Face protection:


- Wear safety glasses
- In the event of heated product exposure, face shield must be used and remove contact lens as soon as practicable.
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. (EN 166)
- None needed if handling product at ambient temperatures. Wear safety glasses when handling hot material.



8.2.2.2 Skin protection

Hand protection

- Use protective impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. (EN 374)
- None needed if handling product at ambient temperatures.
- Wear insulated gloves when handling hot material.
- Consult glove supplier for thickness and breakthrough times.



Body protection

- Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Clothing with long sleeves should be worn when working with molten product.



Other protection

- Handle in accordance with good industrial hygiene and safety practice.
- Wash hands before breaks and at the end of workday.
- Prophylactic use of protective ointment (barrier cream) is recommended.



SAFETY DATA SHEET

According To Regulation (EC) No 1907/2006 (REACH),
(EC) No. 1272/2008 (CLP)

TRUWAX BASEPLATE WAX (REGULAR)

Version: 2.0
Form No: 281003

Prep Date: 27.03.2017
Rev. Date: 09.07.2019

8.2.2.3 Respiratory protection

- Use a respiratory protective device with particle filter/dust mask CEN with an approved standard if a risk assessment indicates this is necessary.
- Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
- None under normal use conditions. If the product is heated and ventilation is inadequate, wear an approved respirator appropriate for the exposure conditions. Selection and use of respiratory equipment must be in accordance with applicable regulations and good industrial hygiene practice.



8.2.3 Environmental exposure controls

- Legislation for the protection of the environment must be met in full.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form/Physical state	Wax solid
Color	Pink
Odor	Pleasant natural odor
pH	No data available
Melting Point/ Freezing Point (°C)	67.0 (153°F)
Flash point (°C)	>260.0 (>500°F)
Decomposition Temperature (°C)	No data available
Flammable properties	Non-flammable
Refractive Index	No data available
Oxidising Properties	Not oxidizer
Explosive properties	Not explosive
Explosion limits, %	LEL: 0.9% (paraffin) UEL: 7.0% (paraffin)
Vapor pressure (mmHg)	<1.0
Vapor density	>1.0
Autoignition point (°C)	No data available
Boiling Point (°C)	No data available
Relative Density	0.9
Water Solubility	Negligible
Bulk Density	No data available
Specific Gravity (g/cm ³)	No data available
Viscosity	No data available

9.2 Other Information

Other physical and chemical parameters



SAFETY DATA SHEET

According To Regulation (EC) No 1907/2006 (REACH),
(EC) No. 1272/2008 (CLP)

TRUWAX BASEPLATE WAX (REGULAR)

Version: 2.0
Form No: 281003

Prep Date: 27.03.2017
Rev. Date: 09.07.2019

10. STABILITY AND REACTIVITY

10.1	Reactivity
	· None known.
10.2	Chemical stability
	· Stable under recommended storage and handling conditions. (See section 7.)
10.3	Possibility of hazardous reactions
	· Hazardous polymerization will not occur. Material will cause thermal burns if exposed to direct sunlight or high temperatures.
10.4	Conditions to avoid:
	· Avoid extreme heat (>300°F (>148.9°C)), direct sunlight or high temperatures.
10.5	Incompatible materials:
	· Avoid oxidizing agents.
10.6	Hazardous decomposition products:
	· Thermal decomposition may release carbon monoxide, carbon dioxide, and smoke.

11. TOXICOLOGICAL INFORMATION

11.1	Information on toxicological effects										
	Based on our experience and the information available, adverse health effects are expected if not handled as recommended with suitable precautions for designated uses. The product has not been tested in animal experiments.										
11.2	Acute toxicity										
	· <u>Paraffin wax CAS No: 8002-74-2</u> Acute toxicity LD50 (Oral, rat): >5000 mg/kg Acute toxicity LD50 (Dermal, rat): >5000 mg/kg										
11.3	Skin corrosion/irritation and Eye damage/irritation:										
	· No data available. This product is not expected to cause eye or skin irritation.										
11.4	CMR effects (Carcinogenity) :										
	· The product does not have carcinogenic effect.										
11.5	CMR effects (Mutagenicity and Toxicity for reproduction) :										
	The product is not mutagenic or toxic for reproduction.										
11.6	Other Toxicological Effects:										
	<table border="1"> <tr> <td>Allergic Effects</td> <td>No data available</td> </tr> <tr> <td>Effects on Repeated Doses Chronic Exposures</td> <td>No data available</td> </tr> <tr> <td>Sensitization</td> <td>No data available. This product is not expected to cause sensitization.</td> </tr> <tr> <td>Developmental Toxicity (Teratogenicity)</td> <td>No data available</td> </tr> <tr> <td>Fertility</td> <td>No data available</td> </tr> </table>	Allergic Effects	No data available	Effects on Repeated Doses Chronic Exposures	No data available	Sensitization	No data available. This product is not expected to cause sensitization.	Developmental Toxicity (Teratogenicity)	No data available	Fertility	No data available
Allergic Effects	No data available										
Effects on Repeated Doses Chronic Exposures	No data available										
Sensitization	No data available. This product is not expected to cause sensitization.										
Developmental Toxicity (Teratogenicity)	No data available										
Fertility	No data available										



SAFETY DATA SHEET

According To Regulation (EC) No 1907/2006 (REACH),
(EC) No. 1272/2008 (CLP)

TRUWAX BASEPLATE WAX (REGULAR)

Version: 2.0
Form No: 281003

Prep Date: 27.03.2017
Rev. Date: 09.07.2019

11.7 STOT-single/repeated exposures:

STOT-single exposure	The substance is not classified as a specific target organ toxicant.
STOT-repeated exposure	The substance is not classified as a specific target organ toxicant.

11.8 Symptoms related to the physical, chemical and toxicological characteristics:

In case of inhalation	Inhalation of vapors or fumes may cause irritation of the eyes, nose and upper respiratory tract. Symptoms include coughing, sneezing and difficulty in breathing.
In case of skin contact	Contact with molten product may cause thermal burns.
In case of eye contact	Vapors or fumes may cause eye irritation with redness and tearing. Contact with molten product may cause thermal burns.
In case of ingestion	Small amounts are not anticipated to cause adverse effects. Large quantities may cause obstruction of the bowel.

11.9 Additional Toxicological Information:

- Toxicological classifications are based on available knowledge and information
- The special effects to health are considered by taking into account the information in section 3.

12. ECOLOGICAL INFORMATION

12.1 Toxicity:

No data available

12.2 Persistence and degradability

Abiotic Degradation: No data available
Physical- and Photo-chemical elimination: No data available
Biodegradation: Wax; Expected to be inherently biodegradable.
The solid matter content can be separated mechanically in a sewage plant.

12.3 Bioaccumulative potential

Partition coefficient n-octanol /water (log Kow): No data available
Bioconcentration factor (BCF): Wax; Has the potential to bioaccumulate; however metabolism or physical properties may reduce the bio concentration or limit bioavailability.

12.4 Mobility in Soil

Solubility in water: Wax; Low solubility and floats and is expected to migrate from water to the land. Expected to partition to sediment and wastewater solids.
Known or predicted distribution to environmental compartments: No data available
Adsorption/Desorption: No data available

12.5 Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 product is not fulfilling PBT (persistent/bioaccumulative/toxic)/vPvB (very persistent/very bioaccumulative) criteria

SAFETY DATA SHEET

According To Regulation (EC) No 1907/2006 (REACH),
(EC) No. 1272/2008 (CLP)

TRUWAX BASEPLATE WAX (REGULAR)

Version: 2.0
Form No: 281003

Prep Date: 27.03.2017
Rev. Date: 09.07.2019

12.6 Other adverse effects

See the sections 6, 7, 13, 14 and 15.

13. DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods

13.1.1 Product / Packaging disposal

- The generation of waste should be avoided or minimized wherever possible.
- Note that properties of a material may change in use, and recycling or reuse may not always be appropriate
- When recycling of the product is not possible, disposal to landfill or incineration in accordance with all applicable government laws and regulations is recommended.
- Disposal according to local authority regulations.
- According to the European Waste Catalogue, waste codes are not product specific, but application specific. Waste codes should be assigned by the user.
- Contaminated packaging can be re-used after emptying and cleaning.

13.1.2 Waste Treatment-Relevant Information

- When in compliance with the Environmental Protection (Duty of Care) Regulations.

13.1.3 Sewage Disposal-Relevant Information

- None

13.1.4 Other Disposal Recommendations

- Dispose of chemicals waste or in accordance with local regulations.
- Follow all applicable local laws, rules and regulations regarding the proper disposal of this material.
- If this product has been altered or contaminated with other hazardous materials, appropriate waste analysis may be necessary to determine proper method for disposal.
- Dispose of waste according to applicable local, state, and federal regulations.

14. TRANSPORT INFORMATION

	ADR ⁷ /RID ⁸	ADNR ⁹	IMDG ¹⁰	ICAO ¹¹ /IATA ¹²
TRANSPORTATION	Road	River	Marine	Airways
14.1 UN No.	-	-	-	
14.2 Un Proper Shipping Name	The product is not hazardous for transportation			
Symbols	-	-	-	-
HIN No	-	-	-	-
Tunnel Restriction Code	-	-	-	-
14.3 Transport Hazard Class	-	-	-	-

SAFETY DATA SHEET

According To Regulation (EC) No 1907/2006 (REACH),
(EC) No. 1272/2008 (CLP)

TRUWAX BASEPLATE WAX (REGULAR)

Version: 2.0
Form No: 281003
Prep Date: 27.03.2017
Rev. Date: 09.07.2019

14.4. Packaging Group	-	-	-	-
14.5 Environmental Hazards	-	-	-	-
14.6 Special Precautions For Users	Not Available			
14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code	Not Available			

15. REGULATORY INFORMATION

15.1 Safety, Health And Environmental Regulations / Legislation Specific For The Substance or Mixture

No data available

15.1.1 HAZARD

CLP classification according to Annex VI of CLP (Regulation (EC) No 1272/2008)

INTERNATIONAL REGULATIONS

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006 (REACH) and ISO 11014:2009.

This product is classified according to EU Directive GHS/CLP.

European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR 2015)

15.2 Chemical Safety Assessment

No chemical safety assessment has been carried out for this substance/ mixture by the supplier.

16. OTHER INFORMATION

16.1 Other information

- For additional information regarding products please contact the PERA ALÇI DÖKÜM SANAYİ TİCARET - SAMİ BOYACI The above information complies with the 1907/2006 Directives and their amendments.

16.2 Related Person

- AYANSAN CHEMICAL CONSULTANCY PLASTIC INC. AND TRD. LTD. CO.
- Prepared by
- Chemical Safety and Regulatory Affairs Consultant: MSc Burak AYAN
- burakayan@ayansan.com
- www.ayansan.com info@ayansan.com +90 (212) 485 50 59
- PERA ALÇI DÖKÜM SANAYİ TİCARET - SAMİ BOYACI
- sarahanahid@gmail.com

16.3 Revision Date, Version and SDS no

- Date : July 9, 2019



SAFETY DATA SHEET

According To Regulation (EC) No 1907/2006 (REACH),
(EC) No. 1272/2008 (CLP)

TRUWAX BASEPLATE WAX (REGULAR)

Version: 2.0
Form No: 281003

Prep Date: 27.03.2017
Rev. Date: 09.07.2019

	<ul style="list-style-type: none"> Version : 2.0 SDS No : 281003
16.4	Reason of re-issue
	<ul style="list-style-type: none"> Compiling according to Regulation (EC) No 1272/2008
16.5	Relevant H- and EUH-phrases:
	-
16.6	Legal disclaimer
	<ul style="list-style-type: none"> The purpose of the above information is to describe the products only in terms of health and safety requirements. The information given should not, therefore, be construed as guaranteeing specific properties or as specification. Customers should satisfy themselves as to the suitability and completeness of such information for their own particular use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The above information relates only to the specific material(s) designated herein and may not be valid for such material(s) used in combination with any other materials or in any process or if the material is altered or processed, unless specified in the text. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. Due to the many factors outside our control when using this product, we cannot accept liability for any injury, accident, loss or damage caused through its use.

¹ SDS: Safety Data Sheet

² CLP: Classification Labelling and Packaging

³ GHS: Global Harmonised System

⁴ CAS : Chemical Abstract Service

⁵ EC : European Community number

⁶ EN Standards: Personal Protective Equipment Standards Determined by CEN (European Committee for Standardization)

⁷ ADR: Accord Dangereux Routier (European regulations concerning the international transport of dangerous goods by road)

⁸ RID: Regulations Concerning the International Transport of Dangerous Goods by Rail (European law)

⁹ ADNR: Regulation for the Carriage of Dangerous Substances on the Rhine (EU)

¹⁰ IMDG: International Maritime Dangerous Goods (United Nations)

¹¹ ICAO: International Civil Aviation Organization

¹² IATA: International Air Transport Association



SAFETY DATA SHEET

According To Regulation (EC) No 1907/2006 (REACH),
(EC) No. 1272/2008 (CLP)

TRUWAX BASEPLATE WAX (REGULAR)

Version: 2.0
Form No: 281003

Prep Date: 27.03.2017
Rev. Date: 09.07.2019
